

U.S. Serial No. 10/714,790
Response to Office Action mailed October 19, 2004

Page 3 of 9

In the Claims:

A detailed listing of all claims is provided as follows. A status identifier is provided following the claim number of every claim. This Amendment is believed to conform with the revised format as set out in the Official Gazette in anticipation of revisions to 37 C.F.R. 1.121.

Complete Listing of All Claims:

1. (Currently Amended) A light source comprising:

a lamp envelope made of a light transmissive material, wherein the envelope has an ellipsoidal portion disposed centrally between tubular portions disposed on opposite ends of the ellipsoidal portion;

a filament centrally disposed within the envelope;

an infrared reflective filter coating disposed on at least a portion of the lamp envelope in surrounding relation to the filament, the infrared reflective filter coating having alternate layers of respective high and low refractive indices for selectively passing desired radiation therethrough and reflecting unwanted radiation to the filament;

~~means a totally reflecting coating for eliminating infrared loss at wide angle bulb positions including a totally reflecting coating disposed on opposite ends of the envelope in surrounding relation to the filament, the totally reflecting coating subtending an angle of approximately 45° and less measured from an axis aligned with the filament for reflecting radiation that would otherwise pass through the infrared reflective filter coating and increasing the efficiency of the light source during continuous operation.~~

2. (Original) The light source of claim 1 further comprising a pair of lead wires connected to opposite ends of the filament for energizing the filament.

3. (Original) The light source of claim 1 further comprising a lead wire connected to an end of the filament and for energizing the filament.

U.S. Serial No. 10/714,790
Response to Office Action mailed October 19, 2004

Page 4 of 9

4. (Original) The light source of claim 1 wherein the ellipsoidal portion having first and second foci associated therewith; and wherein the length of the filament fits substantially between the first and second optical foci for absorbing substantially all the radiation reflected from the infrared reflective filter and the totally reflecting coating.

5. (Canceled)

6. (Canceled)

7. (Original) The light source of claim 1 wherein the totally reflecting coating directs radiation towards the filament.

8. (Previously Amended) The light source of claim 1 wherein the totally reflecting coating is disposed on portions of both ends of the envelope subtending an angle from approximately 22° from an axis aligned with the filament.

9. (Original) The light source of claim 1 wherein the totally reflecting coating is disposed on both ends of the envelope subtending an angle from approximately 22° to 45° from an axis aligned with the filament.

10. (Currently Amended) A light source comprising:
a lamp envelope made of a light transmissive material having an ellipsoidal portion;
a filament disposed within the envelope;
an infrared reflective filter coating disposed on at least a portion of the lamp envelope in surrounding relation to the filament, the infrared reflective filter coating having alternate layers of respective high and low refractive indices for selectively passing desired radiation therethrough and reflecting unwanted radiation to the filament;

U.S. Serial No. 10/714,790
Response to Office Action mailed October 19, 2004

Page 5 of 9

~~means a totally reflecting coating~~ for eliminating infrared loss at wide angle bulb positions ~~including a totally reflecting coating disposed on opposite ends of the envelope in surrounding relation to the filament formed of one of a silver and aluminum coating to direct radiation toward the filament, the totally reflecting coating subtending an angle of approximately 22° to 45° from an axis aligned with the filament for reflecting radiation that would otherwise pass through the infrared reflective filter coating and increasing the efficiency of the light source.~~

11. (Canceled)

12. (Original) The light source of claim 10 wherein the totally reflecting coating is provided on end regions of an ellipsoidal portion of the envelope and tubular portions extending from opposite ends of the ellipsoidal portion.

13. (Original) The light source of claim 12 wherein the ellipsoidal portion has first and second foci associated therewith; and wherein the length of the filament is located substantially between the first and second optical foci for absorbing substantially all the radiation reflected from the infrared reflective filter and the totally reflecting coating.

14. (Canceled)

15. (Canceled)

16. (Original) The light source of claim 10 wherein the totally reflecting coating directs radiation towards the filament.

17. (Canceled)

18. (Canceled)

U.S. Serial No. 10/714,790
Response to Office Action mailed October 19, 2004

Page 6 of 9

19. (Canceled)

20. (Original) The light source of claim 10 further comprising a reflector receiving visible light from the light source, the totally reflecting coating matching useful reflecting areas of the reflector.

21. (Previously Added) The light source of claim 1 wherein the totally reflecting coating is provided on tubular portions extending from opposite ends of the ellipsoidal portion of the envelope.